

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **Pottery Plaster**

Safety data sheet no.: NK PS045

**CAS Number:**

7778-18-9

**EC number:**

231-900-3

**Registration number** 01-2119444918-26-xxxx

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is intended for industrial or professional use.

#### Application of the substance / the mixture

Additive

Gypsum plaster

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

Saint-Gobain Formula

Bowbridge Lane

New Balderton

Newark

Nottinghamshire

NG24 3BZ

UK

Phone: 44 (0) 1636 670200

Fax: 44 (0) 1636 670229

E-mail: [msds-formula@saint-gobain.com](mailto:msds-formula@saint-gobain.com)

#### 1.4 Emergency telephone number:

Austria	+43 1 406 43 43 (24 hrs)
Belgium	+32 70 245 245 (24 hrs)
Bulgaria	+359 2 9154 378/+359 887 435 325 (24 hrs)
China	+86 10 660 981 14 (24 hrs)
Czechia (Czech Republic)	+420 22 49 192 93 (24 hrs)
Denmark	+45 82 12 12 12 (24 hrs)
Finland	+358 9 471977 (24 hrs)
France	+33 (0)1 40 05 48 48 (24 hrs)
Germany	+49 30 192 40 (24 hrs)
Greece	+30 21 07 79 37 77 (24 hrs)
Hungary	+36 80 20 11 99 (24 hrs)
India	+91 112 659 36 77 or +91 112 658 93 91 (24 hrs)
Indonesia	+62 813 1082 6879 (24 hrs)
Ireland	+353 1 809 2166 (24 hrs)
Morocco	+212 537 68 64 64 / 0801 000 180 (24 hrs)
Netherlands	+31 (0)30 274 88 88 (24 hrs)
Northern Ireland	844 892 0111 (24 hrs)
Norway	+47 22 59 13 00 (24 hrs)
Portugal	808 250 143 (national callers) (24 hrs)
Romania	+402 212 106 282 (24 hrs)
Saudi Arabia	937; 800 442 8800 (national callers) (24 hrs)
Spain	+34 91 562 0420 (24 hrs)

(Contd. on page 2)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

### Trade name Pottery Plaster

(Contd. of page 1)

Switzerland	+41 44 251 51 51 (in Switzerland dial 145) (24 hrs)
Thailand	1367, Line ID poisrequest (national callers) +66 (0)220 11084-6 (24 hrs)
Tunisia	+216 1 335 500 (24 hrs)
Turkey	+90 0312 433 70 01 or 0 800 314 7900 (24 hrs)
UK	844 892 0111 (24 hrs)
USA	1 800 222 1222 (24 hrs)
Vietnam	+84 (0)243 869 3731, ext 6821 (08.00-17.00 Monday-Friday)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The substance is not classified, according to the CLP regulation.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**Additional information:**

This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (REACH).

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

#### CAS No. Description

CAS: 7778-18-9 calcium sulphate, natural

**Identification number(s):**

**EC number:** 231-900-3

**SVHC** Void

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

No special measures required.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

**After inhalation** Seek medical treatment in case of complaints.

#### After skin contact

Rinse with warm water.

Generally the product does not irritate the skin.

If skin irritation continues, consult a doctor.

(Contd. on page 3)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

**Trade name Pottery Plaster**

(Contd. of page 2)

**After eye contact**

Seek medical treatment.

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

**After swallowing** If symptoms persist consult a doctor.**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents** The product is not combustible.**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:** No special measures required.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures** Not required.**6.2 Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.**6.3 Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste according to point 13.

Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

No special measures required.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Store in dry conditions.**7.3 Specific end use(s)** No further relevant information available.

EUG

(Contd. on page 4)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

Trade name Pottery Plaster

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

##### DNELs

**CAS: 7778-18-9 calcium sulphate, natural**

Oral	Derived No Effect Level	1.52 mg/kgxday (consumer systemic long term value) 11.4 mg/kgxday (consumer systemic short term value)
Inhalative	Derived No Effect Level	21.17 mg/m <sup>3</sup> (worker systemic long term value) 5,082 mg/m <sup>3</sup> (worker systemic short term value) 5.29 mg/m <sup>3</sup> (consumer systemic long term value) 3,811 mg/m <sup>3</sup> (consumer systemic short term value)

##### CAS No. / Designation of material / % / Type / Value / Unit

**CAS: 7778-18-9 calcium sulphate, natural**

AGW (Germany)	Long-term value: 6 A mg/m <sup>3</sup> DFG
LEP (Spain)	Long-term value: 10 mg/m <sup>3</sup> e
TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup> (i)
VLE (Portugal)	Long-term value: 10 mg/m <sup>3</sup> Fração inalável; Sintomas nasais

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see item 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

**Respiratory protection:** Not required.

**Hand protection** Protective gloves should be used if there is a risk of a constant direct contact.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Eye/face protection** Not required.

**Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### General Information

**Physical state**

Solid.

**Colour:**

White

**Odour:**

Odourless

**Odour threshold:**

Not determined.

(Contd. on page 5)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

**Trade name Pottery Plaster**

(Contd. of page 4)

<b>Melting point/freezing point:</b>	~1,450 °C (DIN ISO 3016)
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Product is not flammable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable
<b>Ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	6-8
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable.
<b>dynamic:</b>	Not applicable.
<b>Solubility</b>	
<b>Water at 20 °C:</b>	2.4 g/l
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable.
<b>Density and/or relative density</b>	
<b>Density at 20 °C:</b>	2.31-2.97 g/cm <sup>3</sup> (DIN 51757)
	Not applicable.
<b>Relative density</b>	Not determined.
<b>Bulk density:</b>	700-1,100 kg/m <sup>3</sup>
<b>Vapour density</b>	Not applicable.
<b>Particle characteristics</b>	See item 3.

<b>9.2 Other information</b>	No further relevant information available.
<b>Appearance:</b>	
<b>Form:</b>	Powder
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Auto-ignition temperature:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>EU-VOC (%)</b>	0.0000 %
<b>EU-VOC (g/L)</b>	0.0000 g/l
<b>Solids content:</b>	100.0 %
<b>Change in condition</b>	
<b>Softening point/range</b>	
<b>Oxidising properties</b>	Not determined.
<b>Evaporation rate</b>	Not applicable.

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void

(Contd. on page 6)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

Trade name Pottery Plaster

(Contd. of page 5)

Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** Not reactive under normal conditions of use

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 7778-18-9 calcium sulphate, natural</b>			
Oral	LD50	>2,000 mg/kg	(Rat)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

Substance is not listed.

EUG

(Contd. on page 7)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

Trade name Pottery Plaster

(Contd. of page 6)

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment
<b>CAS: 7778-18-9 calcium sulphate, natural</b>
LC50/48h   79-1,970 mg/l (Daphnia magna)
LC50/96h   >79 mg/l (Oryzias latipes (Japanese medaka)) 79-2,980 mg/l (Fish)
EC50/72h   >79 mg/l (Selenastrum capricornutum (Green algae))

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

**Behaviour in sewage processing plants:**

Type of test / Effective concentration / Method / Assessment
<b>CAS: 7778-18-9 calcium sulphate, natural</b>
EC 50 (3h)   >1,000 mg/l (Activated sludge)

#### Additional ecological information:

**General notes:** Do not allow product to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Dispose of the product in accordance with national and local regulations.

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleaning agent:** Thoroughly shake out sacks.

### SECTION 14: Transport information

<b>14.1 UN number or ID number</b>	Void
<b>ADR, IMDG, IATA</b>	Void
<b>14.2 UN proper shipping name</b>	Void
<b>ADR, IMDG, IATA</b>	Void

(Contd. on page 8)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

Trade name Pottery Plaster

(Contd. of page 7)

**14.3 Transport hazard class(es)**
**ADR, ADN, IMDG, IATA  
Class**

Void

**14.4 Packing group  
ADR, IMDG, IATA**

Void

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to  
IMO instruments**

Not applicable.

**UN "Model Regulation":**

Void

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2**Directive 2012/18/EU****Named dangerous substances - ANNEX I** Substance is not listed.**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

Substance is not listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Substance is not listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

Substance is not listed.

**Regulation (EC) No 273/2004 on drug precursors**

Substance is not listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

Substance is not listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 02.02.2023

**Trade name Pottery Plaster**

(Contd. of page 8)

**Department issuing SDS:** Technical Services**Contact:**

44 (0) 1636 670230

msds-formula@saint-gobain.com

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG