

Safety data sheet
according to UK REACH

Printing date 14.07.2025

Version number 1

Revision: 14.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name: Pro-Solid Super Range****Includes Green & Yellow variants****Safety data sheet no.:** NK PS051**1.2 Relevant identified uses of the substance or mixture and uses advised against**

The product is intended for industrial or professional use.

Application of the substance / the mixture Dental plaster for models**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Saint-Gobain Formula

Bowbridge Lane

New Balderton

Newark

Nottinghamshire

NG24 3BZ

UK

Phone: 44 (0) 1636 670200

Fax: 44 (0) 1636 670229

E-mail: msds-formula@saint-gobain.com

1.4 Emergency telephone number:

Austria +43 1 406 43 43 (24 hrs)

Belgium +32 70 245 245 (24 hrs)

Bulgaria +359 2 9154 233 Телефонът е активен 24/7

China +86 10 660 981 14 (24 hrs)

Czechia (Czech Republic) +420 22 49 192 93 (24 hrs)

Denmark +45 82 12 12 12 (24 hrs)

Finland +358 9 471977 (24 hrs)

France +33 (0)1 40 05 48 48 (24 hrs)

Germany +49 30 192 40 (24 hrs)

Greece +30 21 07 79 37 77 (24 hrs)

Hungary +36 80 20 11 99 (24 hrs)

India +91 112 659 36 77 or +91 112 658 93 91 (24 hrs)

Indonesia +62 813 1082 6879 (24 hrs)

Ireland +353 1 809 2166 (24 hrs)

Morocco +212 537 68 64 64 / 0801 000 180 (24 hrs)

Netherlands +31 (0)30 274 88 88 (24 hrs)

Northern Ireland 844 892 0111 (24 hrs)

Norway +47 22 59 13 00 (24 hrs)

Portugal +351 800 250 250 (24 hrs)

Romania +402 212 106 282 (24 hrs)

Saudi Arabia 937; 800 442 8800 (national callers) (24 hrs)

Spain +34 91 562 0420 (24 hrs)

Switzerland +41 44 251 51 51 (in Switzerland dial 145) (24 hrs)

Thailand 1367, Line ID poisrequest (national callers) +66 (0)220 11084-6 (24 hrs)

Tunisia +216 1 335 500 (24 hrs)

Turkey +90 0312 433 70 01 or 0 800 314 7900 (24 hrs)

UK 844 892 0111 (24 hrs)

USA 1 800 222 1222 (24 hrs)

Vietnam +84 (0)243 869 3731, ext 6821 (08.00-17.00 Monday-Friday)

GB

(Contd. on page 2)

Safety data sheet according to UK REACH

Printing date 14.07.2025

Version number 1

Revision: 14.07.2025

Trade name: Pro-Solid Super Range
Includes Green & Yellow variants

(Contd. of page 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the GB CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (UK REACH).

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances without any hazardous components

Dangerous components: Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures required.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Rinse with warm water.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet
according to UK REACH

Printing date 14.07.2025

Version number 1

Revision: 14.07.2025

Trade name: Pro-Solid Super Range
Includes Green & Yellow variants

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Use foam, carbon dioxide, dry powder or water fog to extinguish.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures required.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Protect from humidity and water.

7.3 Specific end use(s)

The product is intended to be used according to point 1.2. No other use is recommended.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 7778-18-9 Calcium sulfate		
Oral	Derived No Effect Level	1.52 mg/kgxday (consumer systemic long term value) 11.4 mg/kgxday (consumer systemic short term value)
Inhalative	Derived No Effect Level	21.17 mg/m ³ (worker systemic long term value)

(Contd. on page 4)

Safety data sheet
according to UK REACH

Printing date 14.07.2025

Version number 1

Revision: 14.07.2025

Trade name: Pro-Solid Super Range
Includes Green & Yellow variants

(Contd. of page 3)

		5,082 mg/m ³ (worker systemic short term value)
		5.29 mg/m ³ (consumer systemic long term value)
		3,811 mg/m ³ (consumer systemic short term value)

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Ensure adequate ventilation during use.

Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Protection of hands: Not required.

Eye protection: Not required.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Powder
Colour:	According to product specification
Odour:	Odourless
Odour threshold:	Not determined.

pH-value at 20 °C: 6-8

Change in condition

Melting point/freezing point:	~1,450 °C (DIN ISO 3016)
Initial boiling point and boiling range:	Undetermined.

Flash point: Not applicable

Flammability Product is not flammable.

Auto-ignition temperature: Not determined.

Decomposition temperature: Not determined.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Oxidising properties Not determined.

Vapour pressure: Not applicable.

Density at 20 °C: 2.31-2.97 g/cm³ (DIN 51757)
Not applicable.

Bulk density: 700-1,100 kg/m³

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 14.07.2025

Version number 1

Revision: 14.07.2025

Trade name: Pro-Solid Super Range
Includes Green & Yellow variants

(Contd. of page 4)

Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water at 20 °C:	2.4 g/l
Segregation coefficient (n-octanol/water) log Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	
EU-VOC (%)	0.0000 %
EU-VOC (g/L)	0.0001 g/l
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 7778-18-9 Calcium sulfate			
Oral	LD50	>2,000 mg/kg	(Rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet
according to UK REACH

Printing date 14.07.2025

Version number 1

Revision: 14.07.2025

Trade name: Pro-Solid Super Range
Includes Green & Yellow variants

(Contd. of page 5)

STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure Based on available data, the classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

CAS: 7778-18-9 Calcium sulfate

LC50/48h	79-1,970 mg/l (aquatic invertebrates)
LC50/96h	79-2,980 mg/l (Fish)
EC50/72h	>79 mg/l (aquatic algae and cyanobacteria)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 7778-18-9 Calcium sulfate

EC 50 (3h)	>1,000 mg/l (microorganisms)
------------	------------------------------

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

Contact waste processors for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Thoroughly shake out sacks.

SECTION 14: Transport information

14.1 UN-Number
ADR, IMDG, IATA

Void

(Contd. on page 7)

Safety data sheet
according to UK REACH

Printing date 14.07.2025

Version number 1

Revision: 14.07.2025

Trade name: Pro-Solid Super Range
Includes Green & Yellow variants

(Contd. of page 6)

14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

CAS: 50-00-0	formaldehyde	5%
--------------	--------------	----

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Technical Services

Contact:

44 (0) 1636 670230

msds-formula@saint-gobain.com

(Contd. on page 8)

Safety data sheet
according to UK REACH

Printing date 14.07.2025

Version number 1

Revision: 14.07.2025

Trade name: Pro-Solid Super Range
Includes Green & Yellow variants

(Contd. of page 7)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

GB