

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 02.02.2023

*

Version number 1

Revision: 14.11.2022

1.1 Product identifi	or
Trade name Groun	-
Safety data sheet n	o.: NK PS031
CAS Number:	
7778-18-9	
EC number:	
231-900-3	
	er 01-2119444918-26-xxxx
	fied uses of the substance or mixture and uses advised against
	ded for industrial or professional use. substance / the mixture
Additive	
Construction chemic	als
Filler/ Extender	
Food additive	
1 3 Details of the su	upplier of the safety data sheet
Manufacturer/Supp	
Saint-Gobain Formu	
Bowbridge Lane	
New Balderton	
Newark	
Nottinghamshire	
NG24 3BZ	
UK Phone: 44 (0) 1636 6	270200
Fax: 44 (0) 1636 670	1229
	a@saint-gobain.com
1.4 Emergency tele	
Austria	+43 1 406 43 43 (24 hrs)
Belgium	+32 70 245 245 (24 hrs)
Bulgaria	+359 2 9154 378/+359 887 435 325 (24 hrs)
China	+86 10 660 981 14 (24 hrs)
Czechia (Czech Rep	
Denmark Finland	+45 82 12 12 12 (24 hrs) +358 9 471977 (24 hrs)
France	+33 (0)1 40 05 48 48 (24 hrs)
Germany	+49 30 192 40 (24 hrs)
Greece	+30 21 07 79 37 77 (24 hrs)
Hungary	+36 80 20 11 99 (24 hrs)
India	+91 112 659 36 77 or +91 112 658 93 91 (24 hrs)
Indonesia	+62 813 1082 6879 (24 hrs)
Ireland	+353 1 809 2166 (24 hrs)
Morocco	+212 537 68 64 64 / 0801 000 180 (24 hrs)
Netherlands	+31 (0)30 274 88 88 (24 hrs)
Northern Ireland Norway	844 892 0111 (24 hrs) +47 22 59 13 00 (24 hrs)
Portugal	808 250 143 (national callers) (24 hrs)
Romania	+402 212 106 282 (24 hrs)
	937; 800 442 8800 (national callers) (24 hrs)



according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 14.11.2022

Trade name Ground Gypsum FG 200

(Contd. of page 1)

Spain	+34 91 562 0420 (24 hrs)
Switzerland	+41 44 251 51 51 (in Switzerland dial 145) (24 hrs)
Thailand	1367, Line ID poisrequest (national callers) +66 (0)220 11084-6 (24 hrs)
Tunisia	+216 1 335 500 (24 hrs)
Turkey	+90 0312 433 70 01 or 0 800 314 7900 (24 hrs)
UK	844 892 0111 (24 hrs)
USA	1 800 222 1222 (24 hrs)
Vietnam	+84 (0)243 869 3731, ext 6821 (08.00-17.00 Monday-Friday)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The substance is not classified, according to the CLP regulation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 Void
Hazard pictograms Void
Signal word Void
Hazard statements Void
Additional information:
This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (REACH).
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.1 Substances CAS No. Description CAS: 7778-18-9 calcium sulphate, natural Identification number(s): EC number: 231-900-3 SVHC Void

SECTION 4: First aid measures

4.1 Description of first aid measures
General information
No special measures required.
Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.
After inhalation Seek medical treatment in case of complaints.
After skin contact
Rinse with warm water.
Generally the product does not irritate the skin.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Version number 1

Revision: 14.11.2022

Trade name Ground Gypsum FG 200

(Contd. of page 2)

If skin irritation continues, consult a doctor.

After eye contact

Seek medical treatment.

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C). After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents The product is not combustible.

5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to point 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures required.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Store in dry conditions.

7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

EUG



Printing date 02.02.2023

formula

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 14.11.2022

Trade name Ground Gypsum FG 200

(Contd. of page 3)

SECTIO	N 8: E	xposure cont	rols/personal protection		
8.1 Contro					
-	ts with	limit values that	require monitoring at the workplace:		
DNELs					
		calcium sulphate	•		
Oral	Derive	d No Effect Level	1.52 mg/kgxday (consumer systemic long term value)		
		11.4 mg/kgxday (consumer systemic short term value)			
Inhalative	Derive	d No Effect Level	21.17 mg/m ³ (worker systemic long term value)		
			5,082 mg/m ³ (worker systemic short term value)		
			5.29 mg/m³ (consumer systemic long term value)		
			3,811 mg/m ³ (consumer systemic short term value)		
CAS N	o. / De	signation of mat	erial / % / Type / Value / Unit		
		calcium sulphate	•		
AGW (Gei	many)	Long-term value: DFG	6 A mg/m ³		
LEP (Spai	n)	Long-term value:	10 mg/m³		
e			10 mg/m ³		
i wa (italy	TWA (Italy) Long-term value: 10 mg/m³ (i)				
		Long-term value:	10 mg/m³		
Fração inalável; Sintomas nasais		Sintomas nasais			
Individual General p The usual Do not eat Respirato Hand prot Material o	te eng protecti precau or drin ry prot cection f glove	ineering controls ction measures, s ve and hygienic tionary measures k while working. ection: Not requir Protective gloves	are to be adhered to when handling chemicals.		
quality and Eye/face	protect		er to manufacturer.		
quality and Eye/face µ Body prot	orotect ection N 9: P	from manufacture ion Not required. Protective work hysical and c	er to manufacturer. clothing. hemical properties		
quality and Eye/face p Body prot SECTIO 9.1 Inform	N 9: P ation	from manufacture ion Not required. Protective work hysical and c on basic physica	er to manufacturer. clothing.		
quality and Eye/face µ Body prof SECTIO 9.1 Inform General In	N 9: P ation o	from manufacture ion Not required. Protective work hysical and c on basic physica	er to manufacturer. clothing. hemical properties I and chemical properties		
quality and Eye/face p Body prot SECTIO 9.1 Inform	N 9: P ation o	from manufacture ion Not required. Protective work hysical and c on basic physica	er to manufacturer. clothing. hemical properties I and chemical properties Solid. White		
quality and Eye/face p Body prof SECTIO 9.1 Inform General In Physical s	N 9: P aation o forma state	from manufacture ion Not required. Protective work of Physical and c on basic physica tion	er to manufacturer. clothing. hemical properties I and chemical properties Solid.		



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 14.11.2022

Trade name Ground Gypsum FG 200

	(Contd. of page
Melting point/freezing point:	~1,450 °C (DIN ISO 3016)
Boiling point or initial boiling point and boili	
range	Undetermined.
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH	6-8
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water at 20 °C:	2.4 g/l
Partition coefficient n-octanol/water (log val	•
Vapour pressure:	Not applicable.
Density and/or relative density	
Density at 20 °C:	2.31-2.97 g/cm³ (DIN 51757)
	Not applicable.
Relative density	Not determined.
Bulk density:	700-1,100 kg/m³
Vapour density	Not applicable.
Particle characteristics	See item 3.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	Powder
Important information on protection of hea	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
EU-VOC (%)	0.0000 %
EU-VOC (g/L)	0.0000 g/l
Solids content:	100.0 %
Change in condition	100.0 /0
U	
Softening point/range	Not dotown in od
Oxidising properties	Not determined.
Evaporation rate	Not applicable.
Information with regard to physical haza	ard
information with regard to physical haza	
classes	
classes	Void
classes Explosives	
classes Explosives Flammable gases	Void
classes Explosives Flammable gases Aerosols	Void Void
classes Explosives Flammable gases Aerosols Oxidising gases	Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Void Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Void Void Void Void



according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 14.11.2022

Trade name Ground Gypsum FG 200

		(Contd. of page \$
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity Not reactive under normal conditions of use

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Components	1	Туре	1	Value	1	Species
CAS: 7778-18-9	calcium sul	lphate, n	atura	al		
Oral LD50 >2,0	00 mg/kg (R	at)				
Skin corrosion/i	rritation Ba	sed on a	vailat	ole data,	the	classification criteria are not met.
Serious eye dan	nage/irritati	on Base	d on a	available	dat	a, the classification criteria are not met.
Respiratory or s	kin sensitis	sation Ba	ased	on availa	ble	data, the classification criteria are not met.
Germ cell mutag	genicity Bas	sed on av	ailab	le data, t	he c	classification criteria are not met.
Carcinogenicity	Based on a	vailable o	data, ⁻	the class	sifica	ation criteria are not met.
Reproductive to	xicity Base	d on avai	ilable	data, the	e cla	assification criteria are not met.
STOT-single exp	posure Base	ed on ava	ailable	e data, th	ne cl	lassification criteria are not met.
STOT rangetod						
SIVI-lepealeu	exposure B	ased on	avalla	able data	, the	
						e classification criteria are not met.
	rd Based on	available				
Aspiration haza	rd Based on on other h	available azards				e classification criteria are not met.

(Contd. on page 7)

EUG

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 14.11.2022

Trade name Ground Gypsum FG 200

(Contd. of page 6)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

CAS: 7778-18-9 calcium sulphate, natural

LC50/48h 79-1,970 mg/l (Daphnia magna)

LC50/96h >79 mg/l (Oryzias latipes (Japanese medaka))

79-2,980 mg/l (Fish)

EC50/72h >79 mg/l (Selenastrum capricornutum (Green algae))

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 7778-18-9 calcium sulphate, natural

EC 50 (3h) >1,000 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. **Recommended cleaning agent:** Thoroughly shake out sacks.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA

Void

14.2 UN proper shipping name ADR, IMDG, IATA

Void

(Contd. on page 8)





according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 1

Revision: 14.11.2022

Trade name Ground Gypsum FG 200

		(Contd. of page 7)
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accord IMO instruments	ing to Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (CLP) Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

according to 1907/2006/EC, Article 31

Version number 1

Revision: 14.11.2022

Trade name Ground Gypsum FG 200

formu

Printing date 02.02.2023

(Contd. of page 8) Department issuing SDS: Technical Services Contact: 44 (0) 1636 670230 msds-formula@saint-gobain.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative * Data compared to the previous version altered. According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks. FUG